

FLATCUBE

Druckvorlage/ Printing Template



- 1.) Logos/Grafiken/ Bilder in die Ebenen „top cut line“ und „side cut line“ einfügen. Erstellen Sie wenn nötig eine Schnittmaske.
- 2.) Nach Fertigstellung Ihrer Grafik, löschen Sie die Ebene „helps top“ und „helps side“ und speichern das Dokument als PDF mit Bearbeitungsfunktion, ideal im Profil Coated FOGRA39. Druck: CMYK, Auflösung für eingebettete Bilder 300 dpi. Weitere Infos auf Seite 2. und 3. im PDF


Bitte beachten:
 - Bilder einbetten und Texte in Pfade konvertieren.
 - Farben: für ein sattes schwarz nutzen Sie bitte folgende CMYK-Werte: C:60 / M:50 / Y:40 / K:100
- 3.) Beachten Sie die Beispiele und Hilfen wie, Schnittlinie, Nahtlinie, optimal sichtbarer Bereich.
- 4.) Bitte Beachten Sie, wir drucken im CMYK-Druckverfahren. Farbabweichungen in diesem Verfahren sind generell nicht auszuschließen. Sofern vorab kein „Gut zum Druck“ in Form von Farbmuster oder Andruckmuster beauftrag und erstellt wurde, übernehmen wir keine Haftung für etwaige Farbabweichungen. Pantone/ HKS oder andere Farbvorgaben sind nicht verbindlich und können ohne Andruckmuster nicht reklamiert werden.

- 1.) *Place your Logos / graphics inside levels/ layer „top cut line“ and „side cut line“. If necessary, create a clipping mask.*
- 2.) *After completing your graphic, delete the levels/ layers „helps top“ and „helps side“ and save your document as PDF with editing function. Usually in profile FOGRA39 coated. Print: CMYK, Resolution for images: 300 dpi. More details on page 2. and 3. in the PDF.*

Please note:
 - Embed images and convert texts to paths.
 - Colors: for a rich black please use the following CMYK values: C: 60 / M: 50 / Y: 40 / K: 100
- 3.) *Note the examples, cut line, seam line, optimum visible range.*
- 4.) *Please note: We print in digital CMYK printing. Color deviations in this process can generally not be ruled out. If no "Print-Samples" has been commissioned and produced in the form of color samples or printing patterns, we do not accept any liability for possible color deviations. Pantone color specifications are not binding and can not be complained without printing samples.*

BEISPIEL / SAMPLE

- Schnittlinie/ cutting line
- Nahtlinie, Saum/ seam line, hem
- optimal Sichtbarer Bereich/ optimal visibility
- zur Orientierung/ for orientation



DECKEL / TOP

ECKE / CORNER

SEITE / SIDE

ECKE / CORNER

ECKE / CORNER

ECKE / CORNER

ECKE / CORNER